WALTER KNOLL



SHERU. ARMCHAIR

DESIGN: EOOS.

Construction	Body: steel subframeThe construction is made of the innovative	Arms	– closed arms, foam-moulded and upholstered
	ChAIR technology: The seating area consists of milled plywood and contains cutouts in which	Cover	– removeable covers
	bands are arranged in the shape of palm leaves. Breathable and comfortable.	Upholstery	Seat and back:
			Casual look:
Frame	Solid wood frame:		– foam-moulded with wadding
	- Solid wood frame: solid wood legs, oiled, in combi-		formal look:
	nation with an aluminum frame		 foam-moulded with padded cover
	 The versions oak white-pigmented, oiled (10wo), 		
	oak smoked, oiled (13wo) and nutwood with sapwood, oiled (99wo) are equipped with an aluminum frame with a powder-coated matt bronze surface. The burned oak versions (14wo) are equipped with a frame with a powder-coated matt black surface.	Information	 cover and frame can be detached and recycled Information for casual look: Cover may develop slight creasing due to its design and as a result of upholstery stretching when in use. Please note: Solid wood, oiled legs may contain sapwood, flecks (silvery, shiny areas) or small ingrown pin knots. Color and structure (plain or figured) variations within individual legs are common
	Pipe leg:		red) variations within individual legs are common
	– leg diameter: 1,8 mm		
Upholstery look	☐ casual look ☐ formal	Glides	☐ felt glides ☐ synthetic glides
Base frame:	Pipe leg:		
	□ powder-coated matt bronze □ powder-coated black matt □ polished chrome		
	Solid wood frame:		
	☐ .10wo oak white-pigmented, oiled☐ .13wo oak fumed, oiled☐ .14wo burned oak, oiled☐ .99wo nutwood with sapwood incl., oiled		

RANGE







344-10 W 65 D 71.5 H 78 SH 42 SD 48

W 25½ D 28¼ H 30¾ SH 16½ SD 19



344-10 C W 65 D 71.5 H 78 SH 42 SD 48

W 25½ D 28¼ H 30¾ SH 16½ SD 19



345-10 W 73.5 D 71.5 H 78 SH 42 SD 48 AH 60.5

W 29 D 28¼ H 30¾ SH 16½ SD 19 AH 23¾



345-10 C W 73.5 D 71.5 H 78 SH 42 SD 48 AH 60.5

W 29 D 28¼ H 30¾ SH 16½ SD 19 AH 23¾



354-10 W 65.5 D 72 H 78.5 SH 42 SD 48

W 25¾ D 28¼ H 31 SH 16½ SD 19



354-10 C W 65.5 D 72 H 78.5 SH 42 SD 48

W 25¾ D 28¼ H 31 SH 16½ SD 19



355-10 W 74 D 72 H 78.5 SH 42 SD 48 AH 61

W 29¼ D 28¼ H 31 SH 16½ SD 19 AH 24



355-10 C W 74 D 72 H 78.5

W 29¼ D 28¼ H 31 SH 16½ SD 19 AH 24

SH 42 SD 48 AH 61



342-10 W 65 D 71.5 H 78 SH 42 SD 48

W 25½ D 28¼ H 30¾ SH 16½ SD 19



342-10 C W 65 D 71.5 H 78

SH 42 SD 48

W 25½ D 28¼ H 30¾ SH 16½ SD 19



343-10 W 73.5 D 71.5 H 78

W 29 D 28¼ H 30¾ SH 16½ SD 19 AH 23¾

SH 42 SD 48 AH 60.5



343-10 C

W 73.5 D 71.5 H 78 SH 42 SD 48 AH 60.5

W 29 D 28¼ H 30¾ SH 16½ SD 19 AH 23¾



352-10 W 65.5 D 72 H 78.5 SH 42 SD 48

W 25¾ D 28¼ H 31 SH 16½ SD 19



352-10 C W 65.5 D 72 H 78.5 SH 42 SD 48

W 25¾ D 28¼ H 31 SH 16½ SD 19



353-10

W 74 D 72 H 78.5 SH 42 SD 48 AH 61

W 29¼ D 28¼ H 31 SH 16½ SD 19 AH 24



353-10 C

W 74 D 72 H 78.5 SH 42 SD 48 AH 61

W 29¼ D 28¼ H 31 SH 16½ SD 19 AH 24

