WALTER KNOLL






TADEO. TABLE

DESIGN: EOOS.

Frame Table top Function	– legs: solid wood, oiled with hard wax sealant – panel legs: aluminium	Information	 Pull out the collapsed extension table top using the recessed grip handle and fold it out. Push main table top plates to connect with the extension table top. Table plates connect softly and gently with the help of the installed soft-close mechanism. Please note that oiled solid wood is susceptible to sunlight. If the table top is exposed to sunlight more frequently than the extension top, slight discoloration may occur.
	solid wood, oiled with hard wax sealant, with cross- wise grain – table top thickness: 46 mm (including raised edge)		
	Some models are available with an extension table top. Extension table top in the same material as the table top. To access the integrated extension table top, main table top plates have to be pulled apart.		
table top	.10wo oak white-pigmented .131wo oak tobacco .14wo burned oak	base frame	powder-coated matt bronze powder-coated matt black
table top & frame	.99wo nutwood with sapwood incl. .10wo oak white-pigmented .131wo oak tobacco .14wo burned oak	glides	☑ synthetic glides





W 200 D 100 H 75

W 78¾ D 39¼ H 29½



2971

W 240 D 100 H 75

W 94½ D 39¼ H 29½



2972

W 278 D 100 H 75

W 109½ D 39¼ H 29½



2966

W 210/280 D 100 H 75

W 823/4/1101/4 D 391/4 H 291/2



2965

W 230/300 D 100 H 75

W 90½/118 D 39¼ H 29½



2976

W 210/280 D 100 H 75

W 823/4/1101/4 D 391/4 H 291/2



2975

W 230/300 D 100 H 75

W 90½/118 D 39¼ H 29½